

APPLICATION FOR PERMIT
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office APR 11 1979 **REVOKED**

Returned to applicant for correction. ORDER NO. _____

Corrected application filed. DATE 8-17-09 by 1482

Map filed APR 11 1979

The applicant Neil G. and Marie W. Buckwald

3808 El Camino Ave., of Las Vegas
Street and No. or P.O. Box No. City or Town

Nevada 89102
State and Zip Code No.

_____, hereby make S. application for permission to appropriate the public waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.)

1. The source of the proposed appropriation is Las Vegas Artesian Basin (underground)
Name of stream, lake or other source.
2. The amount of water applied for is .01784 second-feet
One second-foot equals 448.83 gals. per min.
 (a) If stored in reservoir give number of acre-feet _____ acre-feet
3. The water to be used for Domestic and Quasi Municipal - 8 homes
Irrigation, power, mining, manufacturing, domestic, or other use.
4. If use is for:
 - (a) Irrigation (state number of acres to be irrigated) _____
 - (b) Stockwater (state number and kinds of animals to be watered) _____
 - (c) Other use (describe fully under "No. 12. Remarks") _____
 - (d) Power:
 - (1) Horsepower developed _____
 - (2) Point of return of water to stream _____
5. The water is to be diverted from its source at the following point: S½, SW¼, NW¼, SE¼, Section 33 T19S, R60E, MDB&M or at a point from which the center ¼ corner of said Section 33 bears North 10°03'57" West a distance of 1328.55 feet
Describe as being within a 40-acre subdivision of public survey, and by course and distance to a section corner. If on unsurveyed land, it should be stated.
6. Place of use S½, SW¼, NW¼, SE¼ Section 33 T19S, R60E
Describe by legal subdivision, if on unsurveyed land it should be so stated.
7. Use will begin about January 1 and end about December 31, of each year.
Day and Month Day and Month
8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) 450 feet of well casing 8 inches in diameter equipped with a 5 hp. electric pump and a 5 hp. booster pump. Also included is a 10,000 gal. storage tank, 40 gal. pressure and a CPO valve.
State manner in which water is to be diverted, whether by dam or other works, whether through pipes, ditches, flumes, or other conduits.

9. Estimated cost of works.....\$15,000.....
10. Estimated time required to construct works.....1 year.....
11. Estimated time required to complete the application to beneficial use.....3 years.....
12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

Agent
Applicant - s/ Joseph M. Kolasky

By Joseph M. Kolasky, State Water Surveyor
#473, 531 N. Radwick Dr.
Las Vegas, Nev 89110

Compared lp / ss ja/sj

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights and is further subject to revocation if and when water can be furnished by an entity such as a water district or a municipality engaged in furnishing water. A totalizing meter must be installed in the discharge pipeline, near the point of diversion, and accurate measurements must be kept of water placed to beneficial use. It is understood that this right must allow for a reasonable lowering of the static water level. The well shall be equipped with a 2-inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.01784 cubic feet per second, but not to exceed 2.92 million gallons annually.

- Actual construction work shall begin on or before September 11, 1980
- Proof of commencement of work shall be filed before October 11, 1980
- Work must be prosecuted with reasonable diligence and be completed on or before September 11, 1981
- Proof of completion of work shall be filed before October 11, 1981
- Application of water to beneficial use shall be made on or before September 11, 1983
- Proof of the application of water to beneficial use shall be filed on or before October 11, 1983
- Map in support of proof of beneficial use shall be filed on or before

Commencement of work filed OCT 23 1980

Completion of work filed NOV 19 1981

Proof of beneficial use filed NOV 10 1986

Cultural map filed

Certificate No. Issued

Recorded Bk Page

County Recorder

IN TESTIMONY WHEREOF, I WILLIAM J. NEWMAN
State Engineer of Nevada, have hereunto set my hand and the seal of my office, this 11th day of MARCH

A.D. 19 80
William J. Newman
State Engineer